

DK WATER-BASED FABRIC SHIELD

113/114/115/6113/6114/6115

Revision Date: 2013/08/28

- [Section 1: PRODUCT INFORMATION](#)
- [Section 2: HAZARDOUS INGREDIENTS](#)
- [Section 2A: ADDITIONAL INGREDIENT INFORMATION](#)
- [Section 3: PHYSICAL DATA](#)
- [Section 4: FIRE & EXPLOSION DATA](#)
- [Section 5: REACTIVITY DATA](#)
- [Section 6: TOXICOLOGICAL PROPERTIES](#)
- [Section 7: PREVENTATIVE MEASURES](#)
- [Section 8: FIRST AID MEASURES](#)
- [Section 9: ADDITIONAL INFORMATION](#)

Section 1: PRODUCT INFORMATION

Chemical family: Not applicable.

Material use: Soil and Water repellent for automotive fabric interiors.

Supplier: Diamond-Kote Industries Ltd.
3 Pullman Court
Toronto, ON M1X 1E4
Tel: 416-412-2970.

Manufacturer: **WGI Manufacturing Inc.**
3 Pullman Court
Toronto, ON
M1X 1E4
Tel: 416-412-2970

Manufacturer emergency phone number: Canutec 613-996-6666.

DSL status: All ingredients are listed on the Domestic Substance List.

Revision details: Updated MSDS.

Supplier MSDS date: 2012/12/10.

Section 2: HAZARDOUS INGREDIENTS

C.A.S.	CONCENTRATION %	Ingredient Name	T.L.V.	LD/50	LC/50
		No Hazardous Ingredients	Not Available	Not Available	Not Available

Section 3: PHYSICAL DATA

Physical state: Liquid.

Appearance & odor: White.
Hazy liquid.
Citrus odour.
Disagreeable taste.

Odor threshold (ppm): Not available.

Vapour pressure (mmHg): Not available.

Vapour density (air=1): Not available.

Volatiles (%)

By volume: Not available.

Evaporation rate (butyl acetate = 1): Not available.

Boiling point (°C): 100C (212F)

Freezing point (°C): Not available.

pH: 5.0-7.0

Specific gravity @ 20 °C: (water = 1).
1

Solubility in water (%):
Soluble.

Coefficient of water\oil dist.: Not available.

VOC Content: Not available

Section 4: FIRE & EXPLOSION DATA

Flammability: Not flammable.

Conditions of

flammability: Surrounding fire.

Extinguishing media: Use appropriate extinguishing media for surrounding fire.

Special procedures: Self-contained breathing apparatus required.
Firefighters should wear the usual protective gear.

Auto-ignition temperature (°C): Not available.

Flash point (°C), method: Not available.

Lower flammability

limit (% vol): Not available.

Upper flammability

limit (% vol): Not available.

Explosion Data

Sensitivity to static

discharge: Not available.

Sensitivity to mechanical

impact: Not available.

Hazardous combustion products: Oxides of carbon (COx).

Explosive power: Not available.

Lower explosive limit: Not available.

Upper explosive limit: Not available.

Section 5: REACTIVITY DATA

- Chemical stability:** Product is stable.
Conditions of instability: None known.
Hazardous polymerization: Not available.
Incompatible substances: Acids
Alkalies.
Oxidizable materials.
Hazardous decomposition products: See hazardous combustion products.

Section 6: TOXICOLOGICAL PROPERTIES

- Route of entry:** Ingestion, eye and skin contact.
Effects of acute exposure
Eye contact: May cause irritation.
Skin contact: May cause irritation.
Inhalation: May cause respiratory irritation.
Ingestion: May be harmful if swallowed.
Effects of chronic exposure: None known.
LD50 of product, species & route: Not available for mixture, see ingredients section.
LC50 of product, species & route: Not available for mixture, see ingredients section.
Exposure limit of material: Not available for mixture, see ingredients section.
Sensitization to product: Not available.
Carcinogenic effects: Not listed as a carcinogen.
Reproductive effects: None known.
Teratogenicity: None known.
Mutagenicity: None known.
Synergistic materials: Not available.

Section 7: PREVENTATIVE MEASURES

Precautionary Measures

Gloves/Type:



Impervious gloves.

Respiratory/Type:

In operations where mists are generated, wear a NIOSH/MSHA approved respirator.

Eye/Type:



Splash proof goggles.

Footwear/Type: Safety shoes per local regulations.

Clothing/Type: Wear adequate protective clothes.

Other/Type: Eye wash facility should be in close proximity.
Emergency shower should be in close proximity.

Ventilation requirements: Maintain adequate ventilation during product use.

Leak/Spill: Absorb with inert material.
Dike area to prevent spreading.
Prevent entry into drains, sewers, and other waterways.
Stop leak if without risk.
Wear appropriate protective equipment.
Dispose according to all applicable regulations.
Place in a closed container for disposal.
Reduce vapours with fog or fine water spray.

Waste disposal: In accordance with municipal, provincial and federal regulations.

Handling procedures and equipment: No special precautions are needed in handling this material.

Wear personal protective equipment appropriate to task.
Wash thoroughly after handling.
Refer to container labels.
Avoid contact with skin, eyes and clothing.
Launder contaminated clothing prior to reuse.

Storage requirements: Store in a separate safety cabinet or room.

Section 8: FIRST AID MEASURES

Skin contact: Remove contaminated clothing.
Wash affected area with soap and water.

Eye contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting upper and lower lids. Get prompt medical attention. Check for and remove contact lenses.

Inhalation: Remove victim to fresh air. If irritation or symptoms develop, seek medical attention.

Ingestion: Do not induce vomiting, seek immediate medical attention.
Never give anything by mouth to an unconscious person.
Loosen tight clothing such as a collar, tie, or waistband.
If not breathing, perform mouth to mouth.

Additional information: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any inaccuracies.

Section 9: ADDITIONAL INFORMATION

TDG classification: Not regulated.

WHMIS classification: Not regulated

HMIS

Health Hazard: 1

Flammability: 0

Physical hazard: 0

General note: This material safety data sheet was prepared from information obtained from various sources, including product suppliers and the Canadian Center for Occupational Health and Safety.

Data prepared by: Conform-Action Data Systems
A division of 2843471 Canada Inc.
1804 Transcanada, suite 101
Dorval, QC H9P 1H7
Tel: (514) 683-2060 Fax: (514) 683-1445
24 hr. 1-866-628-7522 support@netmsds.com.

This MSDS was generated by *Conform-Plus* Application Service. Visit us at www.netmsds.com.
